

ISSN: 2086-9398 (print)
ISSN: 2579-8901 (online)

juita

Jurnal Informatika

Mei 2023

The Automatic Classification System for Academic Performance Evaluation at the Faculty of Information Technology Atma Jaya University of Makassar	
<i>Erick Alfons Lisangan, Dwi Marisa Midyanti, Chairul Mukmin, Astrid Lestari Tungadi</i>	1
NS-SVM: Bolstering Chicken Egg Harvesting Prediction with Normalization and Standardization	
<i>Aji Gautama Putrada, Nur Alamsyah, Muhamad Nurkamal Fauzan, Syafrial Fachri Pane</i>	11
Designing a Chatbot Based on Full-Text Search and 3D Modelling as a Promotional Media	
<i>Sevtian Ferdian, Aditiya Hermawan, Edy Edy</i>	19
Aspect-Based Sentiment Analysis for Indonesian Tourist Attraction Reviews Using Bidirectional Long Short-Term Memory	
<i>Dwi Intan Af'idah, Puput Dewi Anggraeni, Muhammad Rizki, Aji Bagus Setiawan, Sharfina Febbi Handayani</i>	27
Monitoring the Performance of Lecturers Using Behaviorally Anchor Rating Scale and Management by Objectives Method	
<i>Muhammad Sabiq Dzakwan, Sunardi Sunardi, Anton Yudhana</i>	37
Artificial Intelligent for Human Emotion Detection with the Mel-Frequency Cepstral Coefficient (MFCC)	
<i>Anita Ahmad Kasim, Muhammad Bakri, Irwan Mahmudi, Rahmawati Rahmawati, Zulnabil Zulnabil</i>	47
Evaluation of Bicluster Analysis Results in Capture Fisheries Using the BCBimax Algorithm	
<i>Cynthia Wulandari, I Made Sumertajaya, Muhammad Nur Aidi</i>	57
Comparison of Classification Methods on Twitter Sentiment Analysis of PDAM Tugu Tirta Kota Malang	
<i>Anisa Dewi Anggraeni, Muhammad Farhansyah, Muhammad Risky Pratama Hermawan, Galih Wasis Wicaksono, Christian Sri Kusuma Aditya</i>	67
Resampling Technique for Imbalanced Class Handling on Educational Dataset	
<i>Anief Fauzan Rozi, Adi Wibowo, Budi Warsito</i>	77
Information System Strategic Planning at Institut Agama Islam Negeri Ternate	
<i>Sudarman Sudarman, Asmarani Pratama Y. Hadad, Abd. Haris Abbas</i>	87
Electroencephalogram as a Validation Method in Usability Testing	
<i>Guntur Maulana Zamroni, Dinan Yulianto, Bella Saphira, Fadel N. Akhmad, Fakhira A. Zahrah</i>	97
Image Classification On Garutan Batik Using Convolutional Neural Network with Data Augmentation	
<i>Leni Fitriani, Dewi Tresnawati, Muhammad Bagja Sukriyansah</i>	107
A Smart Greenhouse Production System Utilizes an IoT Technology	
<i>Choirul Huda, Bety Etikasari, Pramuditha Shinta Dewi Puspitasari</i>	117
Selection of TikTok Content Based on User Engagement Criteria Using the Analytic Hierarchy Process	
<i>Citra Wiguna, Sri Mulyana, Retantyo Wardoyo</i>	125
Decision Support System for Suitability of Horticultural Agricultural Plant Types with Land Conditions Using Interpolation Profile Matching	
<i>Petrus Wolo, Sri Mulyana, Retantyo Wardoyo</i>	133
Smart Parking System Model Analysis with NodeMCU and IoT-Based RFID	
<i>Sandhy Fernandez, Yetman Erwadi, Faisal Erlangga</i>	145
K-Means Clustering for Grouping Rivers in DIY based on Water Quality Parameters	
<i>M. Andang Novianta, Syafrudin Syafrudin, Budi Warsito</i>	155



Sekretariat: Program Studi Teknik Informatika
Gedung R Lt. 5 Universitas Muhammadiyah Purwokerto
Jl. KH. Ahmad Dahlan PO.BOX 202 Purwokerto
Telp. 0281-636751 Ext. 146 E-mail: juita@ump.ac.id
Customer Support : +6285282928664

p-issn



e-issn



VOLUME

11

Nomor 1

Program Studi Teknik Informatika
UNIVERSITAS MUHAMMADIYAH PURWOKERTO

PREFACE

Assalaamu'alaikum Wr. Wb.

With thanks to Allah, JUITA Volume 11 Number 1, which is the first issue in 2023, has been able to be presented to the readers of academics, practitioners, and students. In this edition, we present research articles in the context of classification, forecasting, and evaluation, covering the fields of machine learning, software engineering, natural language processing, image processing, data mining, IoT, decision support systems, and information retrieval. Our gratitude goes to all those who have helped, especially to the authors, the editorial board and reviewers, and the technical editor team, for your willingness to take the time to prepare the manuscript for this journal.

As in the previous issue, we need to say that JUITA is published twice a year (2 numbers), namely in May and November. JUITA manuscript used IMRAD model. Starting from Volume 9, JUITA uses the language of instruction for the manuscript in English. To maintain consistency and editorial quality, JUITA adopts the IEEE format with modifications to the font size and layout. Likewise, writing citations and references using the IEEE style. We sincerely hope that the criticism and suggestions from readers will be for improvement for the sake of improving the quality of this journal.

Wassalaamu'alaikum Wr. Wb.

Editor in Chief.

TABLE OF CONTENT

i.	Cover	
ii.	Editor Preface	
iii.	Table of Content	
	The Automatic Classification System for Academic Performance Evaluation at the Faculty of Information Technology Atma Jaya University of Makassar <i>Erick Alfons Lisangan, Dwi Marisa Midyanti, Chairul Mukmin, Astrid Lestari Tungadi.....</i>	1
	NS-SVM: Bolstering Chicken Egg Harvesting Prediction with Normalization and Standardization <i>Aji Gautama Putrada, Nur Alamsyah, Muhamad Nurkamal Fauzan, Syafrial Fachri Pane</i>	11
	Designing a Chatbot Based on Full-Text Search and 3D Modelling as a Promotional Media <i>Sevtian Ferdian, Aditiya Hermawan, Edy Edy.....</i>	19
	Aspect-Based Sentiment Analysis for Indonesian Tourist Attraction Reviews Using Bidirectional Long Short-Term Memory <i>Dwi Intan Af'idah, Puput Dewi Anggraeni, Muhammad Rizki, Aji Bagus Setiawan, Sharfina Febbi Handayani.....</i>	27
	Monitoring the Performance of Lecturers Using Behaviorally Anchor Rating Scale and Management by Objectives Method <i>Muhammad Sabiq Dzakwan, Sunardi Sunardi, Anton Yudhana</i>	37
	Artificial Intelligent for Human Emotion Detection with the Mel-Frequency Cepstral Coefficient (MFCC) <i>Anita Ahmad Kasim, Muhammad Bakri, Irwan Mahmudi, Rahmawati Rahmawati, Zulnabil Zulnabil.....</i>	47
	Evaluation of Bicluster Analysis Results in Capture Fisheries Using the BCBimax Algorithm <i>Cynthia Wulandari, I Made Sumertajaya, Muhammad Nur Aidi.....</i>	57
	Comparison of Classification Methods on Twitter Sentiment Analysis of PDAM Tugu Tirta Kota Malang <i>Anisa Dewi Anggraeni, Muhammad Farhansyah, Muhammad Risky Pratama Hermawan, Galih Wasis Wicaksono, Christian Sri Kusuma Aditya</i>	67
	Resampling Technique for Imbalanced Class Handling on Educational Dataset <i>Anief Fauzan Rozi, Adi Wibowo, Budi Warsito</i>	77
	Information System Strategic Planning at Institut Agama Islam Negeri Ternate <i>Sudarman Sudarman, Asmarani Pratama Y. Hadad, Abd. Haris Abbas.....</i>	87
	Electroencephalogram as a Validation Method in Usability Testing <i>Guntur Maulana Zamroni, Dinan Yulianto, Bella Saphira, Fadel N. Akhmad, Fakhira A. Zahrah.....</i>	97
	Image Classification On Garutan Batik Using Convolutional Neural Network with Data Augmentation <i>Leni Fitriani, Dewi Tresnawati, Muhammad Bagja Sukriyansah</i>	107

A Smart Greenhouse Production System Utilizes an IoT Technology <i>Choirul Huda, Bety Etikasari, Pramuditha Shinta Dewi Puspitasari</i>	117
Selection of TikTok Content Based on User Engagement Criteria Using the Analytic Hierarchy Process <i>Citra Wiguna, Sri Mulyana, Retantyo Wardoyo</i>	125
Decision Support System for Suitability of Horticultural Agricultural Plant Types with Land Conditions Using Interpolation Profile Matching <i>Petrus Wolo, Sri Mulyana, Retantyo Wardoyo</i>	133
Smart Parking System Model Analysis with NodeMCU and IoT-Based RFID <i>Sandhy Fernandez, Yetman Erwadi, Faisal Erlangga</i>	145
K-Means Clustering for Grouping Rivers in DIY based on Water Quality Parameters <i>M. Andang Novianta, Syafrudin Syafrudin, Budi Warsito</i>	155

Designing a Chatbot Based on Full-Text Search and 3D Modelling as a Promotional Media

Sevtian Ferdian¹, Aditiya Hermawan², Edy³

^{1,2,3}*Faculty of Science and Technology, Buddhi Dharma University, Tangerang,, Indonesia*

¹sevtianf@gmail.com, ²aditiya.hermawan@ubd.ac.id, ³edy.edy@ubd.ac.id

Abstract - A chatbot is an application that can respond and reply to questions from the questioner, without any human being involved. In general, chatbots are used to simplify and improve public services, so that users can get information quickly and directly, without time constraints. This research objective is to create promotional media in the form of chatbots in the 3D Virtual Tour to answer questions and provide general information about an object while providing more attractive visuals for users. The method used to run the chatbot is Full-Text Search. Full-Text Search is an efficient and powerful search method that is built into MySQL by default, which works by matching words between keywords and patterns in the database. This study succeeded in applying the Full-Text Search method as a search technique for chatbot patterns in the 3D Virtual Tour application at Buddhi Dharma University as a promotional medium. Evaluation using the User Acceptance Test (UAT) method yielded a value of 83.45% in a very satisfying category for users.

Keywords: Chatbot, full-text search, promotional media, virtual tour 3D.

I. INTRODUCTION

The presence of technology brings various impacts in various fields, including marketing. An example is by marketing products or services in digital forms such as e-commerce, and online advertising [1]. One of the areas in need is education. The expected goals in marketing in the field of education are, among others, being able to convey the information needed, attracting public interest, being able to compete with other educational institutions, and increasing existence as well as being a better assessment for the community regarding the educational institution [2]. Some factors that are considered in choosing educational institutions, especially universities, include price factors, products, physical evidence (including campus facilities, campus buildings, campus environment) [3].

Virtual Tours at universities generally only display media such as photos and videos about places and provide Virtual Tour 360. These media have limitations in displaying scenes, and cannot explore campus freely. In addition, the types of content also include static, less

visual, and less interactive, because there are no chatbots and the ability to display 3D models. Therefore, a new promotional media is needed as a means to advertise educational institutions to the public in an interactive and attractive way.

There are several studies related to this topic. The results of the research "Information Searching for Bali Tourism using Chatbot Technology" namely the application of Full-Text Search Boolean Mode in the Chatbot system can run well. Full-Text Search also provides a relevance value that can be used as a guide in determining the pattern that is most relevant to user input [4].

The next research is entitled "Implementation of the Virtual Assistant 'Alitta' Chatbot from Balittas as an Information Center in Balittas". The result of this study is that the ALITTA Chatbot has been successfully implemented using the Forward Chaining method, which works by searching for keywords from user questions [5].

In 2018 there was a research entitled "Web Based 3D Virtual Tour of the Dutch Prison 'Huis Van Behauring' Bengkalis". The conclusion of this research is the implementation of 3D Virtual Tour which can help the public and tourists to more easily obtain information interactively. In addition, it can be used as a medium in promoting Huis Van Behauring which is a tourist attraction and historical object [6].

Based on these problems and the review of the studies above, a Chatbot application was designed that can answer questions and provide information to users about general information about a place or agency. Interaction is not only through chat or text, the Chatbot also displays a 3D Virtual Tour of the facilities. There are two types of chatbots, conventional and modern. Conventional chatbots use text and voice, while modern chatbots use the form of animals, avatars or human robots [7]. This research focuses on chatbots using text and by applying the Full-Text Search method. The application is designed to run on a web platform, can only accept input and responses in Indonesian and can only answer questions according to the existing knowledge base.

II. METHOD

A. Full-Text Search Method Algorithm

The method used to perform pattern matching is Full-Text Search. Pattern matching is used so that the chatbot can answer the questions asked by the user. Full Text Search is here to overcome the weaknesses and shortcomings of the LIKE and REGEXEP operators. Full Text Search is widely used in cases where you need to perform a lot of complex queries with fuzzy logic [8].

The following Fig. 1 is an example of a MySQL query from Full-Text Search with a total of 3 records. The query to perform the search uses the MATCH(...) and AGAINST(...) operators. Each operator has its own parameters, MATCH accepts the field name parameter to be searched, while AGAINST accepts keywords in the form of strings to be searched by the user, along with the search mode used. The results of the query above are shown in the following Table I.

Based on the Table I, Full-Text Search will search for text or patterns that have the word searched, namely "data mining algorithms" and display the text and its relevance. It can be seen that the one with the highest relevance is id 1 with a score of 0.290 this is because the data in row 1 has the highest similarity to the search keyword. The following will describe the manual calculation of the relevance value of Full-Text Search. Sample data taken for manual calculation is data with id 1 and 2. The next step is to calculate the term frequency of the appearance of each keyword on the pattern which will be shown in Table II.

```
SELECT
id,
book_title,
MATCH (book_title)
AGAINST ('data mining algorithms' IN NATURAL LANGUAGE MODE)
AS score
From daftarbuku
```

Fig. 1 Example of a MySQL query

TABLE I
RESULT OF QUERY

ID	Book Title (Pattern)	Relevancy Score
1	Introduction to Algorithms for Data Mining and Machine Learning	0.290
2	Social Media Data Mining and Analytics	0.062
3	Automate the Boring Stuff with Python	0

TABLE II
TERM FREQUENCY FOR EACH WORD

ID	Book Title (Pattern)	Key Word	TF
1	Introduction to Algorithms for Data Mining and Machine Learning	data	1
		mining	1
		algorithms	1
2	Social Media Data Mining and Analytics	data	1
		mining	1
		algorithms	0

From the Table II, it is known the number of occurrences of each word. For example, on id 1, the word "algorithms" appears once, so the Term Frequency is 1. While at id 2, there is no word "algorithms" at all, so the Term Frequency is worth 0. Furthermore, the process of calculating relevance or in SQL it is called as rank, continues to the next step. The next step is to calculate the Inverse Document Index (IDF) for each keyword (data, mining, algorithms) against all records in the table with the following formula (1) [9]:

$$\{IDF\} = \log 10 \left(\frac{\{total_record\}}{\{matching_record\}} \right)$$
 (1)

where:
total_record: the number of all records in the table
matching_record: the number of records containing the searched word

The IDF value is obtained by dividing the total records by the number of records containing the said word, then performing a logarithmic operation. Based on the IDF calculation formula above, the IDF value is obtained as in the Table III.

Table III shows the IDF value for each word in the keyword. The word "data" matches 2 records, the word "mining" matches 2 records, and the word "algorithms" matches only 1 record. While in total there are 3 records in the database table. So, by using formula (1) the results for each IDF value are 0.176, 0.176, and 0.477.

After the IDF value is calculated, then the relevance value for each keyword can be calculated using (2) [10]:

$$\{Rank\} = \{TF\} * \{IDF\} * \{IDF\}$$
 (2)

TABLE III
THE RESULT OF INVERSE DOCUMENT FREQUENCY PER WORD IN THE KEYWORD

Key Word	Matching Record	Total Record	IDF
data	2	3	0.176
mining	2		0.176
algorithms	1		0.477

where:

TF: the number of all records in the table

IDF: the number of records containing the searched word

To obtain the final value of relevance, is obtained by multiplying the TF value by IDF^2 . By using the Rank calculation formula above, the relevance value for each word can be obtained as shown in the following Table IV.

Table IV displays the results of the calculation of the relevance of each key words and at the same time the final result. To get the final result can be done by summing the results of words, so as to produce the final result of the calculation of relevance. In the results of manual calculations, id 1 has a relevance value of 0.290, the same as the results of the MySQL query.

The following is a flowchart of the Full-Text Search algorithm (Fig. 2).

From the complete flowchart of the Full-Text Search algorithm above, in general, the first step is to calculate

the Term Frequency, namely how many words appear in a sentence. Next is to calculate the Inverse Document Frequency (IDF) value for each keyword received. Then, calculate the relevance value of each keyword using the relevance formula, and finally, add up the results of the relevance of each keyword so that it becomes a complete keyword relevance.

TABLE IV
THE RESULTS OF RELEVANCE CALCULATION

ID	Word	$\{Rank\}$	Result Each Word	Final Result
1	data	$1 \times 0.176 \times 0.176$	0.031	0.290
	mining	$1 \times 0.176 \times 0.176$	0.031	
	algorithms	$1 \times 0.477 \times 0.477$	0.228	
2	data	$1 \times 0.176 \times 0.176$	0.031	0.062
	mining	$1 \times 0.176 \times 0.176$	0.031	
	algorithms	$0 \times 0.477 \times 0.477$	0	




Fig. 2 Flowchart of full text search algorithm

III. RESULT AND DISCUSSION

A. System and Problem Analysis

To analyze system requirements, Requirement Elicitation is used which is useful for exploring and knowing the system requirements needed by users [11]. The following Table V is the final result of the elicitation process, especially functional requirement elicitations.

Based on the results of the questionnaire from marketing department, several functional requirement elicitations were obtained as shown in Table V. In addition to functional elicitation, the application certainly has non-functional elicitation. Based on the results of the questionnaire from marketing department, several non-functional elicitations were obtained as shown in Table VI.

TABLE V
FUNCTIONAL REQUIREMENT ELICITATION

No.	User Wants:
1.	Explore the building freely
2.	Explore the surroundings
3.	See the rooms and other facilities that are allowed for students
4.	Chatbots answer common questions
5.	Chatbot can answer questions about facilities
6.	Chatbot answers briefly
7.	Help explain in a simple way

TABLE VI
NON-FUNCTIONAL REQUIREMENT ELICITATION

No.	User Wants:
1.	There is a logo and campus name
2.	There is a back sound when using the application
3.	User Friendly or easy to use
4.	Answer in a formal language

B. System Design and Algorithms

The workflow process of this application starts from the running of the Virtual Tour 3D. When a user asks a question, the app sends the question to the API. Furthermore, in the API will be searched using Full-Text Search. After the search is complete, the API will return a response and it will then be displayed as an answer by the Chatbot. The following is a flowchart of the detailed process of the system works (Fig. 3 and 4).

When a user submits a question, the question is sent to the backend API. After the data is received by the API, then a Full-Text Search query is executed to get answers based on the pattern in the database. If the query results are more than 1 record, then the answers will be chosen randomly, so that the answers can be more varied. Then the API will return a response containing the answer to the Virtual Tour application and then the answer will be displayed to the user.




Fig. 3 Flowchart how the system works (1)




Fig. 4 Flowchart how the system works (2)

C. Implementation

At this stage, all designs and designs will be implemented and developed into an application (coding), according to the design and system requirements [12]. The following is an application display from a Virtual Tour 3D and chatbot that running on browser using WebGL (Fig. 5).

Fig. 5 shows the display of the virtual tour application. At the top right corner of screen is the number of visitors currently visiting the application. At the bottom left, there is a watermark from the name of the institution and at the bottom right there is the name of the location the user is currently visiting. Next, the chatbot window that is displayed to the user will be shown in Fig. 6.

Fig. 6 shows the chatbot window that will appear when the user presses the "E" key on the keyboard or interacts with a marketing character. A window will appear with a text box to input user questions and a submit button to send questions. After the API returns the answer, the user's answer will be displayed in the response window, which is shown in Fig. 7.




Fig. 5 View of the virtual tour 3D




Fig. 6 View of the chatbot window



Fig. 7 View of the response window

Fig. 7 displays the chatbot response window which displays the response from the chatbot along with the questions asked. There is a button to re-ask the question and a close button to close the window.

D. Testing

After the application is complete, the next step will be the testing process. This process will test the application from both functional and non-functional systems. This aims to ensure that the application is error-free and made according to what is needed by the user [13]. Black Box Testing was carried out in this study and obtained the following results (Table VII).

Based on the results of black box testing on the Table VII, the results obtained are that in general, the application can run as it should, but there is one test that fails, that the application cannot run on a mobile browser, because it is difficult to provide input to the application (no joystick or physical

keyboard) and lack of mobile device hardware capabilities.

E. Evaluation

The Likert scale is often used in research to measure a person's opinions, opinions, and perspectives on a phenomenon [14]. The Likert scale questionnaire in this study involved 55 respondents, consisting of 41 respondents (75%) were high school/vocational high school students and 14 respondents (25%) were parents/guardians of students. To process Likert scale data, an ideal score is needed for each answer scale, which is described in the following Table VIII.

The Likert scale in this study uses an interval scale of 20 and involves 55 respondents, to obtain an ideal value as shown in the table above which can be used as a benchmark in determining results and satisfaction categories. Then, the overall percentage calculation on the Likert scale is calculated by the following formula (3) [15].

$$\text{Overall Percentage} = \frac{\text{Overall score from each questions}}{\text{Maximum ideal score}} \times 100\% \quad (3)$$

Overall Percentage

$$= \frac{(4760 + 4440 + 4900 + 4660 + 4660 + 4420 + 4560 + 4500 + 4480 + 4520)}{5500} \times 100\%$$

$$\text{Overall Percentage} = \frac{4520}{5500} \times 100\%$$

$$\text{Overall Percentage} = 83.45\%$$

TABLE VII
BLACK BOX TESTING RESULTS

Test Class	Test Scenario	Expected results	Result
Main Menu	Select the start button	Shows a window for entering the name	✓
Virtual Tour	Press E button	Shows the Chatbot window	✓
	Press the W, A, S, D buttons	Move the position of the main character	✓
	Move the mouse	Move the character's camera	✓
Chatbot Window	Press the send button	The application sends input and will display a response	✓
Response Window	Press the ask again (Tanya Lagi) button	The Chatbot Response Window will close, and the Chatbot Window will reappear	✓
Mobile Device	Open 3D Virtual Tour on mobile devices	Virtual Tour running	✗

Note:


✓: Success

✗: Failed

TABLE VIII
THE IDEAL SCORE FOR EACH ANSWER SCALE

Answer Scale	Score	Respondents	Ideal Score
Very Unsatisfied (VU)	20	55	1100
Unsatisfied (U)	40	55	2200
Neutral (N)	60	55	3300
Satisfied (S)	80	55	4400
Very Satisfied (VS)	100	55	5500

Based on the Likert scale calculation above, the satisfaction level of the respondents is 83.45%. With the overall scale rating as follows:



Based on the rating scale above, it can be concluded that overall this research is in the Very Satisfied area.

IV. CONCLUSION

This research has successfully implemented a Chatbot with the Full-Text Search method on the Virtual Tour 3D application. With this application, prospective students and parents/guardians of students can explore physical evidence in the form of buildings and the environment around the building virtually and can be used as an attractive marketing medium for prospective applicants. Based on the evaluation assessment by respondents using a Likert Scale, the application of 3D Virtual Tour and Chatbot based on Full-Text Search in this study was included in the Very Satisfactory category, with a satisfaction percentage of 83.45%. For further research, it can be done using other text search methods, applying to mobile platforms with more users, or using virtual reality.

REFERENCES

- [1] Sugeng, "E-Commerce Sebagai Pendukung Pemasaran," *J. Sist. Inf. Univ. Suryadarma*, vol. 4, no. 1, pp. 143–156, 2017.
- [2] I. Faizin, "Strategi Pemasaran Jasa Pendidikan Dalam meningkatkan Nilai Jual Madrasah," *J. Madaniyah*, vol. 7, pp. 261–283, 2017.
- [3] E. Ruhayat, "Analisi Faktor yang Menjadi Penentu Mahasiswa dalam Memilih Perguruan Tinggi," *Inov. J. Ilm. Ilmu Manaj.*, pp. 78–96, 2016.
- [4] I. N. S. Paliwahet, I. M. Sukarsa, and I. K. Gede Darma Putra, "Pencarian Informasi Wisata Daerah Bali Menggunakan Teknologi Chatbot," *Lontar Komput. J. Ilm. Teknol. Inf.*, vol. 8, no. 3, pp. 144–153, 2017.
- [5] E. Yuniar and H. Purnomo, "Implementasi Chatbot 'Alitta' Asisten Virtual Dari Balittas Sebagai Pusat Informasi Di Balittas," *Antivirus J. Ilm. Tek. Inform.*, vol. 13, no. 1, pp. 24–35, 2019.
- [6] D. Sukardi, R. Kurniati, and K. Kasmawi, "Virtual tour 3d penjara belanda Huis Van Behauring Bengkalis berbasis web," *Digit. Zo. J. Teknol. Inf. dan Komun.*, vol. 9, no. 2, pp. 194–203, 2018.
- [7] L. D. Krisnawati, B. E. Butar-Butar, and G. Virginia, "Prototyping a Chatbot for Student Supervision in a Pre-Registration Process," *CommIT (Communication Inf. Technol. J.)*, vol. 12, no. 2, pp. 87–96, 2018.
- [8] J. Linowes, *Unity 2020 Virtual Reality Projects: Learn VR development by building immersive applications and games with Unity 2019.4 and later versions*, 3rd Edition. Packt Publishing, 2020.
- [9] R. Ghlala, *Analytic SQL in SQL Server 2014/2016*. Wiley, 2019.
- [10] MySQL, *MySQL 8.0 Reference Manual*. 2018.
- [11] R. Ferdiana and U. G. M. Press, *Engineering Design pada Sistem Informasi*. UGM Press, 2021.
- [12] S. K. M. K. Ardi, *Android & Kriptografi Algoritma Rivest Code 6: Rekayasa Perangkat Lunak SMS (Short Message Service)*. CV. Sentosa Deli Mandiri, 2020.
- [13] Divyani Shivkumar Taley, "Comprehensive Study of Software Testing Techniques and Strategies: A Review," *Int. J. Eng. Res.*, vol. V9, no. 08, pp. 817–822, 2020.
- [14] M. Ansori, *Metode Penelitian Kuantitatif Edisi 2*. Airlangga University Press, 2020.
- [15] L. Sa'adah, *Metode Penelitian Ekonomi dan Bisnis*. LPPM Universitas KH. A. Wahab Hasbullah, 2021.

